## COMBI-CLEAN

	1. Product and Company Ide	entification	
Product Code:	4699		
Product Name:	COMBI-CLEAN	Revision: 04/25/2017	
		Supersedes Revision: 06/10/2014	
Manufacturer Information:			
Company Name:	PDQ Manufacturing, Inc.	Phone Number:	
	201 Victory Circle	(706)636-1848	
	Ellijay, GA 30540		
Web site address:	www.pdqonline.com		
Emergency Contact:	Chemtrec, Reference: CCN203605	(800)424-9300	
Information:	info@pdqonline.com	(706)636-1848	
Supplier Name and Address	:		
Company Name:	4 STATE MAINTENANCE SUPPL	Phone Number:	
	P.O. BOX 591	620/251-7033	
	COFFEYVILLE, KS 67337		
Product Category:	Warewash detergent		
2. Hazards Identification			

#### Skin Corrosion/Irritation, Category 1A



GHS Signal Word: GHS Hazard Phrases:	<b>Danger</b> H314 - Causes severe skin burns and eye damage.
GHS Precaution Phrases:	P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves and eye protection.
GHS Response Phrases:	P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
	P310 - Immediately call a POISON CENTER or doctor/physician. P321 - Specific treatment see appropriate section of the SDS.
GHS Storage and Disposal Phrases:	P363 - Wash contaminated clothing before reuse. P405 - Store locked up. P501 - Dispose of contents/container to trash after rinsing container.

	COMBI-CLEAN			
Potential Health Effects	Prolonged or repeated eye contact may cause conjunctivitis.			
(Acute and Chronic):	Prolonged or repeated skin contact may cause dermatitis.			
Inhalation:	Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma.			
Skin Contact:	Causes redness and pain. May cause skin rash (in milder cases), and cold and clammy skin with cyanosis or pale color. Causes skin burns.			
Eye Contact:	Causes severe eye burns. May cause irreversible eye injury. Contact may cause ulceration of the conjunctiva and cornea. Eye damage may be delayed. Causes redness and pain.			
Ingestion:	Harmful if swallowed. Causes gastrointestinal tract burns.			
3	Composition/Information on Ingredients			
CAS # Hazardous Com	ponents (Chemical Name) Concentration			
1310-58-3 Potassium hydrox	xide {Caustic potash} <10.0 %			
1310-73-2 Sodium hydroxide	e {Caustic soda; Lye solution} <10.0 %			
4. First Aid Measures				
Emergency and First Aid				
Procedures:				
In Case of Inhalation:	Remove from exposure and move to fresh air immediately.			
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes. If irritation develops, get medical aid.			
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep eyes closed.			
In Case of Ingestion:	Never give anything by mouth to an unconscious person. Get medical aid immediately. If victim is fully conscious, give a cupful of water.			
	5. Fire Fighting Measures			
Flash Pt:	NP Method Used: Estimate			
Explosive Limits:	LEL: No data. UEL: No data.			
Autoignition Pt:	NP			
Suitable Extinguishing Medi	a:Use dry sand or earth to smother fire. Use extinguishing media appropriate to surrounding fire conditions.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.			
Flammable Properties and Hazards:	No data available.			
6. Accidental Release Measures				
Steps To Be Taken In Case Material Is Released Or Spilled:	Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways.			

## COMBI-CLEAN

	7. Handling and Storage					
Handling:		Wash thoroughly after handling. Do not breathe dust, mist, or vapor. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. Discard contaminated shoes. Avoid ingestion and inhalation.				
Precautions Storing:	Precautions To Be Taken in Keep container closed when not in use. Storing:					
	8. Exposure Controls/Personal Protection					
CAS #	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
1310-58-3	Potassium hydrox	ide {Caustic potash}	No data.	CEIL: 2 mg/m3	No data.	
1310-73-2	Sodium hydroxide solution}	e {Caustic soda; Lye	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.	
Respiratory (Specify Typ		Respirator protection is not normally required.				
Eye Protecti	Protection:Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European State EN166.			•		
Protective Gloves:		Wear appropriate protective gloves to prevent skin exposure.				
Other Protective Clothing:		Wear appropriate protective clothing to prevent skin exposure.				
Engineering ControlsThere are no special ventilation(Ventilation etc.):should be equipped with an eye				-	•	
	9. Physical and Chemical Properties					
Physical States: []Gas [X] Liquid [] Sol			k			
Appearance and Odor:		Tan liquid Mild odor.				
Freezing Poi	nt-	~ 40.00 F - 0.00 F				
Boiling Poin		0.00 C - 0.00 C				
Autoignition		NP				
Flash Pt:	-		NP Method Used: Estimate			
Explosive Limits:		LEL: No data. UEL: No data.				
Specific Gravity (Water = 1):		~ 1.300				
Vapor Pressure (vs. Air or		No data.				
mm Hg):						
Vapor Densi	ty (vs. Air = 1):	No data.				
Evaporation		No data.				
Solubility in	Water:	No data.				
pH:		> 12.5				
Percent Vola	tile:	No data.				

## COMBI-CLEAN

		10. Stability a	nd Reactiv	ity		
Stability:		Unstable [ ] Stable [ X				
Conditions To Avoid -No specific conditions to avoid noted.Instability:						
Incompatibili Avoid:	ty - Materials To	Acids, Sulfur oxides. Metals.	Aluminum, Zinc,	nitromethane, le	eather, orgar	nic halogens.
Hazardous D Byproducts:	ecomposition o	r Oxides of potassium, hydrog	en gas. Toxic fur	mes of sodium o	xide.	
Possibility of Hazardous Will occur [ ] Will not occur [ X ] Reactions:						
Conditions T Hazardous R		Product will not undergo poly	/merization.			
		11. Toxicologi	cal Informat	tion		
Toxicologica	I Information:	No data available.				
CAS #		nponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
1310-58-3	Potassium hydro	oxide {Caustic potash}	n.a.	n.a.	n.a.	n.a.
1310-73-2	Sodium hydroxic	le {Caustic soda; Lye solution}	n.a.	n.a.	n.a.	n.a.
		12. Ecologica	I Informatio	on		
•		No data available.				
		13. Disposal C	onsideratio	ons		
Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed. RCRA U-Series: None listed.						
		14. Transpor	t Informatio	on		
	SPORT (US DOT	г).				
DOT Prop	per Shipping Na ard Class:	me: Corrosive liquid, basic, ir 8 CORRC UN3266	•	-	oxide, Sodiui II	m hydroxide)
		15. Regulator	y Informatio	on		
EPA SARA (S	uperfund Amendr	ments and Reauthorization Act	of 1986) Lists			
<b>CAS #</b> 1310-58-3	CAS # Hazardous Components (Chemical Name)		<b>S. 302 (EHS)</b> No	<b>S. 304 RQ</b> Yes 1000 LB	<b>S. 31</b> 3 No	3 (TRI)
1310-73-2		de {Caustic soda; Lye solution}	No	Yes 1000 LB	No	

# SAFETY DATA SHEET COMBI-CLEAN

16. Other Information			
Revision Date:	04/25/2017		
Preparer Name:	Regulatory Affairs		
Hazard Rating System: HMIS:	HEALTH2FLAMMABILITY0REACTIVITY2PPEB	Flammability Instability Health COR Special Hazard	

Additional Information About No data available.

#### This Product:

Company Policy or Disclaimer: The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.