

Safety Data Sheet

Version 2

1. Identification of the Substance/Preparation and of the Company/Undertaking

<u>Product Identifier</u> Product name Chemical name	FOUR STATE MAINTENANCE SUPPLY D'ND CITRUS DISINFECTANT SPRAY 7-8113-2
Other means of identification Product code	FG 431-2529-2
Synonyms	Disinfectant Spray
Registration number(s)	498-179-55760
Recommended use of the chemical	and restrictions on use
Recommended Use	For disinfection of hard, non-porous, inanimate surfaces.
Uses advised against	Do not spray on varnished, painted or plastic surfaces.
Details of the supplier of the safety	data sheet
Supplier Address	Manufacturer Address
Four State Maintenance Supply	Chase Products Co.
503 North Cline Road	2727 Gardner Road
Coffeyville, Kansas 67337	Broadview, IL 60155
(800) 497-5707	708-273-1121
Emergency Telephone Number	
Company Phone Number	708 865 1000

Company Phone Number	708-865-1000
24 Hour Emergency Phone Number	1-800-255-3924

2. Hazards Identification

Classification

Serious eye damage/eye irritation	Category 2A
FLAMMABLE AEROSOLS	Category 2
Gases Under Pressure	liquefied gas

Label Elements

EMERGENCY OVERVIEW

Warning		
hazard statements Causes serious eye irritation		
Flammable Aerosol Contains gas under pressure; may explode i	fheated	
<u><!--X®X</u-->·</u>		
Appearance Hazy, yellow liquid	Physical State Aerosol	Odor Perfumed.

Precautionary Statements - Prevention

FG 431-2529-2 FOUR STATE MAINTENANCE SUPPLY D'ND CITRUS DISINFECTANT SPRAY

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, sparks, open flames and hot surfaces. — No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 122 °F (50 °C)

Hazards not otherwise classified (HNOC)

Other Information

Toxic to aquatic life with long lasting effects
 0.69% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

Synonyms Chemical Family Formula Chemical nature Disinfectant Spray. MIXTURES. 7-8113-2 Aqueous solution of alcohol and other active ingredients.

Chemical name	CAS No	weight-%	Trade secret
Water	7732-18-5	45-50	*
Ethyl alcohol	64-17-5	30-35	*
N-Butane	106-97-8	10-15	*
Propane	74-98-6	1-5	*

Chemical Additions

See label for active ingredients information.

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First aid measures

FIRST AID MEASURES

Eye Contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Wash with soap and water. If irritation develops, consult a physician .
Inhalation	If overcome by vapor, move person to fresh air.
Ingestion	Ingestion from an aerosol product is unlikely to occur.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	Acute, Deliberate inhalation of concentrated vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	None needed.

5. Fire-fighting measures

Suitable extinguishing media

Dry chemical, CO2 or water spray.

Unsuitable extinguishing media Use water spray or fog; do not use straight streams.

Specific hazards arising from the chemical

Containers are under pressure. Temperatures above 130 °F may cause cans to burst.

Hazardous combustion products Thermal decomposition may yield gases like carbon monoxide and carbon dioxide.

Explosion data

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

Protective equipment and precautions for firefighters

Use personal protective equipment as required.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	CONTENTS UNDER PRESSURE. Do not puncture or incinerate cans.		
Other Information	Keep out of reach of children.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for Containment	Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.		
Methods for cleaning up	Clean contaminated surface thoroughly.		
7. Handling and Storage			
Precautions for safe handling			
Advice on safe handling	Avoid getting spray into eyes. Keep out of reach of children.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Store in a cool, dry place away from heat and open flame. Avoid storing at below-freezing temperatures. AEROSOL STORAGE LEVEL I (NFPA-30B).		
Incompatible Materials	Avoid heat, open flame and contact with strong oxidizers.		

Control parameters

Exposure guidelines

See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³

		(vacated) TWA: 1900 mg/m ³	
N-Butane 106-97-8	STEL: 1000 ppm explosion hazard	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 1600 ppm TWA: 800 ppm
		Ϋ́, Ϋ́, Ϋ́, Ϋ́, Ϋ́, Ϋ́, Ϋ́, Ϋ́,	TWA: 1900 mg/m ³
Propane	: See Appendix F: Minimal	TWA: 1000 ppm	IDLH: 2100 ppm
74-98-6	Oxygen Content, explosion	TWA: 1800 mg/m ³	TWA: 1000 ppm
	hazard	(vacated) TWA: 1000 ppm	TWA: 1800 mg/m ³
		(vacated) TWA: 1800 mg/m ³	-

Appropriate engineering controls

Engineering controls

Use with adequate general or local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Eye/face Protection	Conventional eyeglasses to guard against splashing.
Skin and Body Protection	Household type gloves, if desired.
Respiratory protection	None required if used in a well-ventilated area .
General hygiene considerations	None required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Appearance Color	Aerosol Hazy, yellow liquid clear	Odor Odor threshold	Perfumed. No information available
<u>Property</u> pH Melting point/freezing point Boiling point/boiling range Flash Point	Values 10.5 +/- 0.5 NA 212 °F/100 °C Not avaliable. This is an aerosol product for which Flame Projection is 6-8 inches without flashback. Temperatures above 120 °F may cause cans to burst.	Remarks • Method No information available No information available No information available No information available	
Evaporation Rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limits Lower Flammability Limit Vapor pressure Vapor Density Relative Density Water solubility Solubility in other solvents Partition coefficient Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties	Faster than butyl acetate Not available Not available 0.92 concentrate completely soluble	No information available No information available	
Oxidizing properties <u>Other Information</u>	No information available		
Softening point Molecular weight VOC content (%)	No information available No information available 51.32%		

FG 431-2529-2 FOUR STATE MAINTENANCE SUPPLY D'ND CITRUS DISINFECTANT SPRAY

Density Bulk Density	No information available 8.33 Lb/gal		
	10. Stability an	nd Reactivity	
Reactivity Not applicable	No data available		
Chemical stability Stable.			
Possibility of hazardous reaction Temperatures above 130 °F may	o <u>ns</u> cause cans to burst with force.		
hazardous polymerization	Hazardous polymerization of	loes not occur.	
Conditions to Avoid Femperatures above 122 °F (50 °	C).		
ncompatible Materials Avoid heat, open flame and conta	ct with strong oxidizers.		
Hazardous decomposition proc	l <u>ucts</u> gases like carbon monoxide and	carbon dioxide.	
	11. Toxicologica	al Information	
nformation on likely routes of e	exposure		
Product Information		repeated contact with skin r	st may cause headaches, dizzines nay cause irritation and reddening
Inhalation	See data below.		
Eye Contact	No data available.		
Skin contact	No data available.		
Ingestion	This is an aerosol product, i SWALLOWED.	ngestion is unlikely to occur.	MAY BE HARMFUL IF
Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Vater 7732-18-5	> 90 mL/kg (Rat)	-	-
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
N-Butane	-	-	= 658 g/m³ (Rat) 4 h
106-97-8 Propane 74-98-6	-	-	> 800000 ppm (Rat) 15 min
nformation on toxicological eff	ects		
Symptoms	See information above.		
	as well as chronic effects from		

sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Not known chronic effects based on available information.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	Х
64-17-5				

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

Numerical measures of toxicity - Product Information

 Unknown acute toxicity
 0.69% of the mixture consists of ingredient(s) of unknown toxicity

 The following values are calculated
 based on chapter 3.1 of the GHS document .

 ATEmix (inhalation-gas)
 1000000

 ATEmix (inhalation-vapor)
 16447.4 mg/l

12. Ecological Information

ecotoxicity

6.1 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Ethyl alcohol		100: 96 h Pimephales	EC50 = 34634 mg/L 30 min	2: 48 h Daphnia magna
64-17-5		promelas mg/L LC50 static	EC50 = 35470 mg/L 5 min	mg/L EC50 Static 9268 -
		13400 - 15100: 96 h	_	14221: 48 h Daphnia magna
		Pimephales promelas mg/L		mg/L LC50 10800: 24 h
		LC50 flow-through 12.0 -		Daphnia magna mg/L EC50
		16.0: 96 h Oncorhynchus		
		mykiss mL/L LC50 static		

Persistence and degradability

No information available.

Bioaccumulation

See information below.

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	
N-Butane	2.89
106-97-8	
Propane	2.3
Propane 74-98-6	

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Disposal of wastes	Do not puncture or incinerate container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.
Contaminated packaging	Pressurized container: Do not pierce or burn, even after use.

Chemical name	California Hazardous Waste Status	
Ethyl alcohol	Toxic	
64-17-5	Ignitable	

14. Transport Information

DOT

UN/ID no Limited Quantity **Proper Shipping Name** ORM-D Hazard Class

Consumer Commodity

ΙΑΤΑ

UN/ID no **Proper Shipping Name** Hazard Class

UN1950 Aerosols, flammable 2.1

IMDG UN/ID no **Proper Shipping Name Hazard Class** Marine pollutant

UN1950 Aerosols, flammable 2.1 This product does not contain marine pollutants.

15. Regulatory information

All ingredients are listed or are excluded from listing on the DSL.

International Inventories	
TSCA	All ingredients of this product are listed or are excluded from listing under the U.S. Toxic
	Subtances Control Act (TSCA) Chemical Substance Inventory.

DSL

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

This product does not contain toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	No
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			Х
Ethyl alcohol 64-17-5	Х	X	Х
N-Butane 106-97-8	Х	Х	Х
Propane 74-98-6	Х	X	Х

U.S. EPA Label information

EPA Pesticide registration number 498-179-55760

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

16. Other information				
NFPA_	Health Hazards 1	Flammability 1	Instability 1	Physical and chemical properties Not applicable
HMIS	Health Hazards 1	Flammability 2	Physical hazards 1	Personal Protection A - Eyes protection
Prepared by Issue date	Regulatory Department 07-Nov-2018			

Revision note

This SDS supersedes a previous SDS dated June 30, 2015.

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet